


LS-P9200

SERVICE MANUAL

EXTERNAL VIEW



SPECIFICATIONS


Note:

KENWOOD follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.

System	4-Way 7-Speaker System
Enclosure	Super Bass Radiator, Floor Standing Type
Loudspeakers	
Woofers	270 mm (10-1/2 in) Polypropylene Cone Type
Midrange	110 mm (4-1/2 in) Polypropylene Cone Type
Tweeter	50 mm (2 in) Cone Type x 3
Super Tweeter	30 mm (1-1/4 in) Leaf Type x 2
Super Bass Radiator	430 mm (17 in) Polypropylene Cone Type
Nominal Impedance	8 ohms
Peak Input Power	400 Watts
Sensitivity	91 dB/W at 1 m
Frequency Response	20 Hz to 48,000 Hz
Crossover Frequency	1,200 Hz, 5,000 Hz, 10,000 Hz
Terminals	Push-Lever Type
Dimensions	Width: 440 mm (17-5/16 in) Height: 1,185 mm (46-5/8 in) Depth: 332 mm (13-1/16 in)
Net Weight	26 kg (57 lbs)
Enclosure Finish	High density particle board laminated with simulated wood grain vinyl.
Accessories	Speaker Wire

SCHEMATIC DIAGRAM

NETWORK ASS'Y (X21-4960-80)



PARTS LIST

* New Parts

Parts without Parts No. are not supplied.

Les articles non mentionnés dans le Parts No. ne sont pas fournis.

Teile ohne Parts No. werden nicht geliefert.

Ref. No.	Address	New Parts	Parts No.	Description	Destination	Remarks
LS-P9200						
-		*	A21-1450-01	Dressing panel	Woofer	
-		*	A21-2090-02	Dressing panel	Midrange	
-		*	A21-2091-03	Dressing panel ass'y	Tweeter	
-		*	B06-0338-03	Grille ass'y		
-			B46-0094-03	Warranty card		U <u>UE</u>
-			B46-0095-03	Warranty card		U
-		*	B61-0151-00	Instruction manual		M
-		*	B61-0152-00	Instruction manual		U <u>UE</u>
-			E30-1003-05	Speaker cord		
-		*	H01-6605-04	Carton box		U <u>UE</u>
-		*	H01-6608-04	Carton box		M
-			H10-3300-03	Polystyrene foamed fixture		
-		*	H10-4065-04	Polystyrene foamed fixture		
-		*	H11-0570-04	Polystyrene plate		
-		*	H21-1000-04	Protection sheet		U
-			H25-0944-04	Protection bag		
-			J19-2364-04	Grille holder		
-			J19-2454-03	Dressing plate (Super bass radiator)		
-			N44-4020-45	Tapping screw		
-			N46-4016-45	Tapping screw		
-			N62-3116-45	Wood screw		
SP1		*	T03-0310-05	Super tweeter		
SP2		*	T03-0309-05	Tweeter		
SP3		*	T06-0242-05	Midrange		
-			X19-1040-10	Super bass radiator		
SP4			X22-1900-10	Woofer		
-		*	X21-4960-80	Network ass'y		
NETWORK ASS'Y (X21-4960-80)						
C1			C90-1098-05	NP-electro	2.7μF	100WV
C2			C90-1099-05	NP-electro	3.3μF	100WV
C3			C90-1105-05	NP-electro	10μF	100WV
C4			C90-1109-05	NP-electro	22μF	100WV
-			E29-0705-05	Terminal board		
L1			L38-0201-05	Coil	0.22mH	
L2			L38-0202-05	Coil	0.33mH	
L3			L38-0322-05	Coil	1.2mH	
L4			L38-0305-05	Coil	1.5mH	
-			N50-3008-45	Tapping screw		
R1			RS14GB3H1R5JMA	FL-proof RS	1.5Ω J 5W	
BR			W02-0166-05	Circuit protector	2.5A	

E : Scandinavia & Europe

U : PX (Far East, Hawaii)

UE : AAFES (Europe)

K : USA

T : England

X : Australia

P : Canada

M : Other Areas

Δ indicates safety critical components.

LS-P9200

PACKING

Protection bag
(H25-0944-04) : U
Warranty card
(B46-0094-03) : U UE
(B46-0095-03) : U
Instruction manual
(B61-0151-00) : M
(B61-0152-00) : U UE

Speaker cord
(E30-1003-05)

Polystyrene foamed fixture
(H10-4065-04) x 2

Polystyrene foamed fixture
(H10-3300-03) x 4


Polystyrene foamed fixture
(H10-3300-03) x 4

Protection sheet
(H21-1000-04)

Polystyrene foamed fixture
(H10-4065-04) x 2

Polystyrene plate
(H11-0570-04) x 2

Carton box
(H01-6605-04) : U UE
(H10-6608-04) : M



KENWOOD CORPORATION

Shionogi Shibuya Building, 17-5, 2-chome Shibuya, Shibuya-ku, Tokyo 150, Japan

KENWOOD U.S.A. CORPORATION
CONSUMER ELECTRONICS GROUP

P.O. BOX 22745, 2201 East Dominguez St., Long Beach, CA 90801-5745, U.S.A.

KENWOOD ELECTRONICS CANADA INC.

P.O. BOX 1075, 959 Gana Court, Mississauga, Ontario, Canada L4T 4C2

TRIO-KENWOOD U.K. LIMITED

17 Bristol Road, The Metropolitan Centre, Greenford, Middx. UB6 8UP England

KENWOOD ELECTRONICS BENELUX N.V.

Mechelsesteenweg 418 B-1930 Zaventem, Belgium

KENWOOD ELECTRONICS DEUTSCHLAND GMBH

Rembrucker-Str. 15, 6056 Heusenstamm, West Germany

TRIO-KENWOOD FRANCE S.A.

13 Boulevard Ney, 75018 Paris, France

KENWOOD LINEAR S.p.A.

20125, MILANO-VIA ARBE, 50, ITALY

KENWOOD ELECTRONICS AUSTRALIA PTY. LTD. (INCORPORATED IN N.S.W.)

4E Woodcock Place, Lane Cove, N.S.W. 2066, Australia

KENWOOD & LEE ELECTRONICS, LTD.

Wang Kee Building, 4th Floor, 34-37, Connaught Road, Central, Hong Kong